EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	("6064890").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/10/01 10:23
S2	1	("20020188648").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/10/01 10:23
S3	0	("JP-9-247208").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 12:28
S4	0	(azegami and sakatani).in.	USPAT	OR	OFF	2007/10/01 12:28
S5	0	(azegami and sakatani).in.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 12:35
S6	0	(@ad<="20021226" or @pd<="20021226" or @rlan<="20021226" or @rlad<="20021226" or @rlpn<="20021226") and ((invalidat$3 or drop$4) with (frame$2) with (Dos) same ethernet).ab.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/01 12:38
S7	0	(@ad<="20021226" or @pd<="20021226" or @rlan<="20021226" or @rlad<="20021226" or @rlpn<="20021226") and ((invalidat$3 or drop$4) with (packet$2) with (Dos) same ethernet).ab.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/01 12:38
S8	0	(@ad<="20021226" or @pd<="20021226" or @rlan<="20021226" or @rlad<="20021226" or @rlpn<="20021226") and ((invalidat$3 or drop$4) with (packet$2) with (denial of service) same ethernet).ab.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/01 12:38

S9	3	(@ad<="20021226" or @pd<="20021226" or @rlan<="20021226" or @rlad<="20021226" or @rlpn<="20021226") and ((invalidat$3 or drop$4) with (packet$2) with (overload or congestion) same ethernet).ab.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/01 17:52
S10	0	("91455,445,").PN.	USPAT; USOCR	OR	OFF	2007/10/01 12:51
S11	0	("91455445").PN.	USPAT; USOCR	OR	OFF	2007/10/01 12:51
S12	10	"US 6690645"	US-PGPUB; USPAT; USOCR; DERWENT	OR	OFF	2007/10/01 13:10
S13	1	(US-20020188648-$).did.	US-PGPUB	OR	OFF	2007/10/01 13:21
S14	1	S13 and (packet$2 with queue)	US-PGPUB	OR	OFF	2007/10/01 13:21
S15	0	(@ad<="20021226" or @pd<="20021226" or @rlan<="20021226" or @rlad<="20021226" or @rlpn<="20021226") and ((link near3 layer) same (thershold) same (buffer$2 or queue$2))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/01 18:00
S16	0	(@ad<="20021226" or @pd<="20021226" or @rlan<="20021226" or @rlad<="20021226" or @rlpn<="20021226") and ((link near3 layer) same (thershold))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/02 16:29
S17	0	(@ad<="20021226" or @pd<="20021226" or @rlan<="20021226" or @rlad<="20021226" or @rlpn<="20021226") and ((link near3 layer or ("802.11" or ethernet or GPRS or PPP or frame relay)) same (thershold))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/01 18:00
S18	34	(@ad<="20021226" or @pd<="20021226" or @rlan<="20021226" or @rlad<="20021226" or @rlpn<="20021226") and ((link near3 layer) same (threshold) same (buffer$2 or queue$2))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/01 18:14

EAST Search History

S19	18	(@ad<="20021226" or @pd<="20021226" or @rlan<="20021226" or @rlad<="20021226" or @rlpn<="20021226") and ((link near3 layer) with (threshold) with (buffer$2 or queue$2))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/02 09:26
S20	0	370/230.ccls and (@ad<="20021226" or @pd<="20021226" or @rlan<="20021226" or @rlad<="20021226" or @rlpn<="20021226")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/02 09:27
S21	0	370/232-234.ccls and (@ad<="20021226" or @pd<="20021226" or @rlan<="20021226" or @rlad<="20021226" or @rlpn<="20021226")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/02 09:27
S22	1419	370/230.ccls. and (@ad<="20021226" or @pd<="20021226" or @rlan<="20021226" or @rlad<="20021226" or @rlpn<="20021226")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/02 09:27
S23	861	370/232-234.ccls. and (@ad<="20021226" or @pd<="20021226" or @rlan<="20021226" or @rlad<="20021226" or @rlpn<="20021226")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/02 09:27
S24	2756	370/412-418.ccls. and (@ad<="20021226" or @pd<="20021226" or @rlan<="20021226" or @rlad<="20021226" or @rlpn<="20021226")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/02 09:27
S25	827	370/428.ccls. and (@ad<="20021226" or @pd<="20021226" or @rlan<="20021226" or @rlad<="20021226" or @rlpn<="20021226")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/02 09:28
S26	532	370/429.ccls. and (@ad<="20021226" or @pd<="20021226" or @rlan<="20021226" or @rlad<="20021226" or @rlpn<="20021226")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/02 09:28
S27	1	(EP-905950-$).did.	EPO	OR	OFF	2007/10/02 10:00

EAST Search History

S28	13065	(@ad<="20021226" or @pd<="20021226" or @rlan<="20021226" or @rlad<="20021226" or @rlpn<="20021226") and (threshold with program$2)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:35
S29	258	(@ad<="20021226" or @pd<="20021226" or @rlan<="20021226" or @rlad<="20021226" or @rlpn<="20021226") and (threshold with program$2 with (buffer or queue))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:40
S30	2	(@ad<="20021226" or @pd<="20021226" or @rlan<="20021226" or @rlad<="20021226" or @rlpn<="20021226") and (threshold with (running or active) near2 program$2 with (buffer or queue))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:42
S31	7	(@ad<="20021226" or @pd<="20021226" or @rlan<="20021226" or @rlad<="20021226" or @rlpn<="20021226") and (threshold with (running or active) near2 (application$2) with (buffer or queue))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:44
S32	187	(@ad<="20021226" or @pd<="20021226" or @rlan<="20021226" or @rlad<="20021226" or @rlpn<="20021226") and (threshold with (application$2) with (buffer or queue)) not (S30 and S31)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 12:21
S33	47	(@ad<="20021226" or @pd<="20021226" or @rlan<="20021226" or @rlad<="20021226" or @rlpn<="20021226") and (threshold with (application$2) with (buffer or queue)) not (S30 and S31) and "370".clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 11:13

S34	0	(@ad<="20021226" or @pd<="20021226" or @rlan<="20021226" or @rlad<="20021226" or @rlpn<="20021226") and (threshold with (application$2) with (buffer or queue) with depend$4) not (S30 and S31) and "370".clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:46
S35	82	(@ad<="20021226" or @pd<="20021226" or @rlan<="20021226" or @rlad<="20021226" or @rlpn<="20021226") and (threshold with flow$2) and (flow with (applications)) and "370".clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:56
S36	4337	(@ad<="20021226" or @pd<="20021226" or @rlan<="20021226" or @rlad<="20021226" or @rlpn<="20021226") and (threshold with (sessions) with (buffer or queue)) (session$2 with application$2) and "370".clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 11:14
S37	4330	(@ad<="20021226" or @pd<="20021226" or @rlan<="20021226" or @rlad<="20021226" or @rlpn<="20021226") and ((calc$5 or determin$3 or adjust$4) near4 threshold with (sessions) with (buffer or queue)) (session$2 with application$2) and "370".clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 11:15
S38	0	(@ad<="20021226" or @pd<="20021226" or @rlan<="20021226" or @rlad<="20021226" or @rlpn<="20021226") and ((calc$5 or determin$3 or adjust$4) near4 threshold with (sessions) with (buffer or queue)) and (session$2 with application$2) and "370".clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/02 11:15
S39	0	(@ad<="20021226" or @pd<="20021226" or @rlan<="20021226" or @rlad<="20021226" or @rlpn<="20021226") and ((calc$5 or determin$3 or adjust$4) near4 threshold with (sessions) with (buffer or queue)) and (session$2 with application$2)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/02 11:15

S40	0	(@ad<="20021226" or @pd<="20021226" or @rlan<="20021226" or @rlad<="20021226" or @rlpn<="20021226") and (threshold with (sessions) with (buffer or queue)) and (session$2 with application$2)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/02 11:15
S41	13	(@ad<="20021226" or @pd<="20021226" or @rlan<="20021226" or @rlad<="20021226" or @rlpn<="20021226") and (threshold with (session$2) with (buffer or queue)) and (session$2 with application$2)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/02 12:40
S42	0	("2006/0187957").URPN.	USPAT	OR	OFF	2007/10/02 11:33
S43	1	(US-20020091826-$).did.	US-PGPUB	OR	OFF	2007/10/02 11:44
S44	0	S43 and (buffer with threshold)	US-PGPUB	OR	OFF	2007/10/02 11:44
S45	3	("4603416" | "6091725" | "6570890").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/10/02 12:00
S46	2	(US-6570890-$ or US-6091725-$).did.	USPAT	OR	OFF	2007/10/02 12:02
S47	0	S46 and ((buffer or queue) with threshold)	USPAT	OR	OFF	2007/10/02 12:02
S48	0	("7035289").URPN.	USPAT	OR	OFF	2007/10/02 12:06
S49	0	S41 and (application$2 with threshold with (buffers or queue$2))	USPAT	OR	OFF	2007/10/02 12:07
S50	1	S41 and (application$2 with threshold with (buffers or queue$2))	US-PGPUB; USPAT; USOCR; FPRS; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/02 12:07
S51	81	(@ad<="20021226" or @pd<="20021226" or @rlan<="20021226" or @rlad<="20021226" or @rlpn<="20021226") and (threshold with (application$2) with (buffer or queue)) not (S30 and S31) and ("370" or "455" or "709").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 12:21

S52	1	(@ad<="20021226" or @pd<="20021226" or @rlan<="20021226" or @rlad<="20021226" or @rlpn<="20021226") and (application$2 with establish with connection$2) and (connection$2 with threshold with (buffer or queue))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/02 13:41
S53	0	S52 and (threshold with user)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/02 13:39
S54	0	S52 and (threshold$2 with user$2)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/02 13:39
S55	254	(@ad<="20021226" or @pd<="20021226" or @rlan<="20021226" or @rlad<="20021226" or @rlpn<="20021226") and (user$2 with threshold with (buffer or queue))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/02 13:42
S56	79	(@ad<="20021226" or @pd<="20021226" or @rlan<="20021226" or @rlad<="20021226" or @rlpn<="20021226") and (user$2 with threshold with (buffer or queue)) and ("370" or "455").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/02 14:32
S57	3	(@ad<="20021226" or @pd<="20021226" or @rlan<="20021226" or @rlad<="20021226" or @rlpn<="20021226") and (user$2 with threshold with (buffer or queue)) same (drop$2) and ("370" or "455").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/02 14:02
S58	166	(@ad<="20021226" or @pd<="20021226" or @rlan<="20021226" or @rlad<="20021226" or @rlpn<="20021226") and ((buffer$2 or queue$2) with threshold with depend$5) and ("370" or "455" or "709" or "375").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/02 14:50

S59	18	(@ad<="20021226" or @pd<="20021226" or @rlan<="20021226" or @rlad<="20021226" or @rlpn<="20021226") and ((buffer$2 or queue$2) with threshold with depend$5) same (discard or drop) and ("370" or "455" or "709" or "375").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/02 14:13
S60	5	(@ad<="20021226" or @pd<="20021226" or @rlan<="20021226" or @rlad<="20021226" or @rlpn<="20021226") and ((buffer$2 or queue$2) with threshold with (video or image$2)) same (discard or drop) and ("370" or "455" or "709" or "375").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/02 14:13
S61	5	(@ad<="20021226" or @pd<="20021226" or @rlan<="20021226" or @rlad<="20021226" or @rlpn<="20021226") and (threshold with (buffer or queue)) same (policy with dynamic)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/02 14:35
S62	104	(@ad<="20021226" or @pd<="20021226" or @rlan<="20021226" or @rlad<="20021226" or @rlpn<="20021226") and (threshold with (buffer or queue)) same (policy)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/02 14:35
S63	30	(@ad<="20021226" or @pd<="20021226" or @rlan<="20021226" or @rlad<="20021226" or @rlpn<="20021226") and ((buffer$2 or queue$2) with threshold$2) same ((running or active) near4 (application$2 or program$@ or software$2))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/02 14:58
S64	57	(@ad<="20021226" or @pd<="20021226" or @rlan<="20021226" or @rlad<="20021226" or @rlpn<="20021226") and ((buffer$2 or queue$2) with threshold$2) same ((cpu or processor) with load)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/02 15:20

S65	6	(@ad<="20021226" or @pd<="20021226" or @rlan<="20021226" or @rlad<="20021226" or @rlpn<="20021226") and ((buffer$2 or queue$2) with threshold$2) same ((cpu or processor) with load) same (drop$5 or discard$5)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/02 15:05
S66	1	("7206282").PN.	USPAT; USOCR	OR	OFF	2007/10/02 15:05
S67	24	(@ad<="20021226" or @pd<="20021226" or @rlan<="20021226" or @rlad<="20021226" or @rlpn<="20021226") and ((buffer$2 or queue$2) with threshold$2) same ((cpu or processor) with load) and (drop$4 or discard$4)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/02 15:25
S68	6	(@ad<="20021226" or @pd<="20021226" or @rlan<="20021226" or @rlad<="20021226" or @rlpn<="20021226") and ((buffer$2 or queue$2) with threshold$2 with(cpu or processor) with load) and (drop$4 or discard$4)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/02 15:28
S69	25	(@ad<="20021226" or @pd<="20021226" or @rlan<="20021226" or @rlad<="20021226" or @rlpn<="20021226") and ((buffer$2 or queue$2) with threshold$2 with(cpu or processor) with load)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/02 16:01
S70	44	(@ad<="20021226" or @pd<="20021226" or @rlan<="20021226" or @rlad<="20021226" or @rlpn<="20021226") and ((buffer$2 or queue$2) with threshold$2) same ((cpu or processor) with (utiliz$6))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/02 16:31
S71	1	("20020156914").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/10/02 16:06

S72	805	(@ad<="20021226" or @pd<="20021226" or @rlan<="20021226" or @rlad<="20021226" or @rlpn<="20021226") and ((buffer$2 or queue$2) with threshold$2) same ((cpu or processor) with threshold)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/02 16:18
S73	35	(@ad<="20021226" or @pd<="20021226" or @rlan<="20021226" or @rlad<="20021226" or @rlpn<="20021226") and ((buffer$2 or queue$2) with threshold$2) same ((cpu or processor) with threshold) and "712".clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/02 16:19
S74	0	(@ad<="20021226" or @pd<="20021226" or @rlan<="20021226" or @rlad<="20021226" or @rlpn<="20021226") and ((CPU or processor) with (utiliz$5 or load)) same (threshold$2 with (buffer$2 of queue$2))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/02 16:30
S75	108	(@ad<="20021226" or @pd<="20021226" or @rlan<="20021226" or @rlad<="20021226" or @rlpn<="20021226") and ((buffer$2 or queue$2) with threshold$2) same ((cpu or processor) with (utiliz$6 or load$3))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/02 16:31
S76	10	(@ad<="20021226" or @pd<="20021226" or @rlan<="20021226" or @rlad<="20021226" or @rlpn<="20021226") and ((buffer$2 or queue$2) with threshold$2) same ((cpu or processor) with (utiliz$6 or load$3)) and "712".clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/02 16:32
S77	0	(@ad<="20021226" or @pd<="20021226" or @rlan<="20021226" or @rlad<="20021226" or @rlpn<="20021226") and (buffer$2 or queue$2) with threshold$2 with (cpu or processor) with (overutiliz$5 or (over utiliz$5))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/02 16:45

EAST Search History

S78	1	(@ad<="20021226" or @pd<="20021226" or @rlan<="20021226" or @rlad<="20021226" or @rlpn<="20021226") and (buffer$2 or queue$2) with threshold$2 same((cpu or processor) with (overutiliz$5 or (over utiliz$5)))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/02 16:51
S79	15	(@ad<="20021226" or @pd<="20021226" or @rlan<="20021226" or @rlad<="20021226" or @rlpn<="20021226") and (buffer$2 or queue$2) with threshold$2 same((cpu or processor) with (overload$4))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/02 17:10
S80	12	("6092115" | "6260072" | "6570876" | "6574195" | "6594268" | "6614790" | "6633544" | "6741608" | "6744767" | "6816494" | "6977931" | "7027393").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/10/02 17:06
S81	6	S80 and threshold	US-PGPUB; USPAT; USOCR	OR	OFF	2007/10/02 17:06
S82	16	(@ad<="20021226" or @pd<="20021226" or @rlan<="20021226" or @rlad<="20021226" or @rlpn<="20021226") and (buffer$2 or queue$2) with threshold$2 same((cpu or processor) with (overload$4 or overutiliz$5))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/02 17:19
S83	108	(@ad<="20021226" or @pd<="20021226" or @rlan<="20021226" or @rlad<="20021226" or @rlpn<="20021226") and (buffer$2 or queue$2) with threshold$2 same((cpu or processor) with (load$4 or utiliz$5))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/02 18:02
S84	1	(@ad<="20021226" or @pd<="20021226" or @rlan<="20021226" or @rlad<="20021226" or @rlpn<="20021226") and ((threshold) with depend$5 with (CPU or processor) with (buffer$@ or queue$2))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/02 17:59

EAST Search History

S85	61	(@ad<="20021226" or @pd<="20021226" or @rlan<="20021226" or @rlad<="20021226" or @rlpn<="20021226") and (buffer$2 or queue$2) with threshold$2 same((cpu or processor) with (load$4 or utiliz$5) with (threshold))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/02 18:57
S86	1	(US-6707792-$).did.	USPAT	OR	OFF	2007/10/02 18:21
S87	1	S86 and (load$6 with processor$2 with threshold)	USPAT	OR	OFF	2007/10/02 18:21
S88	1	("6075772").PN.	USPAT; USOCR	OR	OFF	2007/10/02 19:06
S89	28	(@ad<="20021226" or @pd<="20021226" or @rlan<="20021226" or @rlad<="20021226" or @rlpn<="20021226") and (buffer same ((link with physical) near2 layer) same (network near2 layer))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/02 19:47
S90	4	("5541912" | "6018527" | "6219728" | "6249359").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/10/02 19:32
S91	21	(@ad<="20021226" or @pd<="20021226" or @rlan<="20021226" or @rlad<="20021226" or @rlpn<="20021226") and (buffer same ((link with physical) near2 layer) same (network near2 layer)) and (discard$4 or drop$4)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/03 09:47